Monatshefte für Chemie

Chemical Monthly

Vol. 127, 1996

ISSN 0026-9247

SpringerWienNewYork

Monatshefte für Chemie
Chemical Monthly

Österreichische Akademie der Wissenschaften
Mathematisch-Naturwissenschaftliche Klasse und
Gesellschaft Österreichischer Chemiker

Editorial Board

H. Falk, Linz
E. Hengge, Graz
A. Neckel, Wien
K. Schlögl, Wien (Managing Editor)
P. Schuster, Wien
H. Tuppy, Wien

Regional Editors

H. Brunner, Regensburg
R. Noyori, Nagoya
E. Vogel, Köln
O. Vogl, Amherst, MA

Advisory Board

G. K. Bonn, Linz
G. H. Findenegg, Berlin
E. O. Fischer, München
W. Fleischhacker, Wien
H. Gamsjäger, Leoben
H. Griengl, Graz
V. Gutmann, Wien
O. Hofer, Wien
H. Junek, Graz
C. Kratky, Graz
B. Kräutler, Innsbruck
H. Krischner, Graz
U. Mayer, Wien
A. Müller, Bielefeld
E. Nachbaur, Graz
O. F. Olaj, Wien
K. Rossmanith, Wien
H. Ruis, Wien
F. Sauter, Wien
K. Schaffner, Mülheim/Ruhr
J. Schantl, Innsbruck
H. Schmidbaur, München
G. Spiteller, Bayreuth
H. Sterk, Graz
U. Wannagat, Wolfenbüttel
H. Werner, Würzburg

Editorial Assistant: H. Kalchhauser, Wien

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der photomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten
The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions including microform is transferred to the publisher

© 1996 by Springer-Verlag/Wien

Inhaltsverzeichnis / Contents

Abbas Y.A., s. Abdelaal M.Y.

Abd El Wahed M.G., El Manakhly K.A., Barakat A., Amer A.M.: Electrical conductivity of some hydrazones and their binary complexes with transition metals 1115

Abdel-Azim A.-A.A., s. Zaki N.N.

Abdel-Megied A.E.-S., s. Zahran M.A.

Abdel-Rahman A.A.-H., Pedersen E.B., Nielsen C.: Synthesis of 5-methylisocytidine derivatives 455

Abdel-Rahman A.A.-H., s. Zahran M.A.

Abdel-Raouf M.E., s. Zaki N.N.

Abdelaal M.Y., Abbas Y.A.: Synthesis and characterization of polyesters based on 3,4-dihydro-2*H*-pyran-2-yl-methanol 1131

Abignente E., s. Avallone L.

Adam W., Halasz J., Jambor Z., Levai A., Nemes C., Patonay T., Toth G.: Stereoselective epoxidation of 2-arylidene-1-indanones and 2-arylidene-1-benzosuberones 683

Ahmed E.K., s. Sauter F.

Ahmed K.Y., s. Hamdi S.T.

Ahmed M.E., Ibrahim M.S., Temerk Y.M., Kawde A.M.: Comparative studies on the adsorption and association of 3-methylxanthine and 7-methylxanthine at a charged interface 609

Akcamur Y., s. Saripinar E.

Akrivos P, s. Stoyanov S.

Aliwi S.M., s. Hamdi S.T.

Ally M.R., s. Braunstein J.

Alvarez-Sarandes R., s. Quintela J.M.

Amer A.M., s. Abd El Wahed M.G.

Amin A.S., Zareh M.M.: Preparation and characterization of a codeine responsive electrode 1123

Angermann J., s. Gewald K.

Antonious M.N., s. Ramsis M.N.

Antonious M.S., Ramsis M.N., Youssef A.O.: Kinetics of the crystallization of barium chromate 15

Antonov L., s. Stoyanov S.

Aradi F., s. Lorand T.

Arvai G., s. Kadas I.

Atalla A.A., s. Hussein A.M.

Auer H., Weis R., Schweiger K.: Synthesis of 3-aminothiophene-2-thioamides 1027

Avallone L., Rimoli M.G., Abignente E.: Research on heterocyclic compounds XXXV. Synthesis of 2-phenylimidazo[1,2-*a*]pyrazine-3-acetates 947

Azocar J.A., s. Banerjee A.K.

Badawey E.A.M., s. Habib N.S.

Baltas M., s. Fontaine E.

Bandgar B.P., Kasture S.P.: Synthetic methods III. Sulfated zirconia catalyzed thioacetalization of cabonyl compounds 1303

Banerjee A.K., Azocar J.A.: A modified synthesis of (±)-occidentalol 1031

Banerji J., s. Chatterjee A.

Barakat A., s. Abd El Wahed M.G.

Baran E.J., s. Kögerler P.

Bartik T., s. Földenyi R.

Bats J.W., s. Schödel H.

Bernath G., s. Göndös G.

Beyer L., s. Olk B.
Bielmeier P., Kaiser A., Gust R., Wiegrebe W.: 1,3-Diphenylpropane-1,3-diamines X. Synthesis and biochemical evaluation of highly substituted 1,3-diphenylpropane-1,3-diamines and preparation of their Pt(II) complexes 1073
Bieniek A., s. Epsztajn J.
Biswas K.M., Dhara R.N., Mallik H., Halder S., Sinha-Chaudhuri A., Saha A., Ganguly D., De P., Brahmachari A.S.: Nuclear magnetic resonance VI. Some quantitative applications of carbon-13 NMR spectroscopy to phenylindoles 111
Bock H., s. Schödel H.
Bock H., Van T.T.H., Schödel H.: Kristallstruktur von 1,8-Naphthyridinium-(1)-tetraphenylborat – Einebnung eines verzerrten Molekülskeletts durch Protonierung 391
Bogdanowicz-Szwed K., Krasodomska M.: Hetero *Diels-Alder* reaction of some 1,3-diaza-1,3-butadienes with ketenes. Synthesis of functionalized pyrimido[1,2-*b*]benzothiazoles and 1,3,4-thiadiazolo[3,2-*a*]-pyrimidines 1273
Bögge H., s. Müller A.
Bolivar R.A., s. Rivas C.
Bracher F., Papke T.: 3-Alkylpyridines III. Total synthesis of both enantiomers of the antineoplastic marine alkaloid niphatesine D 91
Brahmachari A.S., s. Biswas K.M.
Braunstein J., Ally M.R.: On the *Abraham* equation for salt activities in concentrated solutions 269
Broz P., s. Vrestal J.
Brunner H., Kimel B.: Asymmetric catalysis CIII. Enantioselective *Michael* addition of 1,3-dicarbonyl compounds to conjugated nitroalkenes 1063
Brunner H., Müller J., Spitzer J.: Enantioselective catalysis C. Decarboxylation of malonic acids in the presence of copper(I) compounds - not a copper(I) catalysis but a base effect 845
Buchbauer G., Spreitzer H., Zechmeister-Machhart F., Haunschmidt C., Tröscher F.: Synthese und Geruch von (*E*)- und (*Z*)-*bis-homo*-β-Santalol 747
Bucio M.A., s. Morales-Rios M.S.
Burger N., s. Foretic B.

Calle E., s. Garcia-Santos, P.
Cao R., Fragoso A., Villalonga R.: Interpretation of the cytostatic properties of sodium morpholyldithiocarbamate, a chelating agent 775
Casado J., s. Garcia-Santos, P.
Cavdarci Ö., s. Diefenbach U.
Chatterjee A., Sahu A., Saha M., Banerji J.: Synthesis of sempervirine, a pentacyclic anhydronium indole alkaloid 1259
Chen Q.-Q., s. Falk H.
Ciez D., s. Zaleska B.
Clarke D.D., s. Gershon H.
Conde S., s. Quintela J.M.
Crusats J., Farrera J.-A., Ribo J.M.: On the preparation of bilirubins of the natural a series substituted with a propionic acid residue and a hydroxypropyl group 85

Dabrowski Z., s. Morzycki J.W.
Dammertz W., s. Reimann E.
Danalatos D., s. Moschonas M.
Davar-Panah M., s. Yavari I.
De P., s. Biswas K.M.
Derbala H.A.: Chemoselectivity of 6-bromo-2-methyl-3,1-benzoxazin-4-one towards amines, *Schiff* bases, and azines 103
Dhara R.N., s. Biswas K.M.
Diefenbach U., Kretschmann M., Cavdarci Ö.: Synthesis of 3-(aminomethyl)pyridylpentaphenoxy-cyclotriphosphazene and its complex formation with copper(II) nitrate.

Molecular structure of $\{Cu[N_3P_3(OC_6H_5)_5(NHCH_2(3\text{-}C_5H_4N))]_2(NO_3)_2\}$ 989

Diemann E., s. Müller A.

Dmitrenko O., Reischl W.: Molecular mechanics - based conformational analysis of previtamin D and its A-ring analogues 445

Dombi G., s. Göndös G., Szendi Z.

Dukov I.L., Jordanov V.M.: Synergistic solvent extraction of lanthanides with mixtures of 1-phenyl-3-methyl-benzoyl-pyrazol-5-one and aliphatic amines: influence of the ammonium salt ions 1109

Effenberger H., Hejny C., Pertlik F.: The crystal structure of $PbFe[AsO_4][AsO_3(OH)]$ 127

Eger K., s. Gütschow M.

Ekinci A.C., s. Ulusoy N.

El Manakhly K.A., s. Abd El Wahed M.G.

El-Daly S.A., s. El-Kemary M.A., Salem M.A.

El-Dean A.M.K., s. Geies A.A.

El-Ekyabi Y.M., s Hamad M.M.

El-Hallag I.S., Ghoneim M.M.: Electrochemical investigation of N,N'-propylene-*bis*-(salicylideneiminato)-Mn(II) in phosphate buffer solutions 487

El-Kemary M.A., El-Daly S.A.: Interaction of the excited singlet state of 1,4- and 1,8-dimethoxynaphthalene with some organic compounds: a fluorescence quenching study 593

El-Medani S.M., s. Shoukry M.M.

Ellermann J., Schelle C., Knoch F.A., Moll M., Pohl D.: Chemie Polyfunktioneller Moleküle, 121. Mitt. Cyclopentadienylruthenium(II)-Komplexe des *Bis*(diphenyl-phosphanyl)amins und -amids sowie des N,N-*Bis*(diphenylphosphanyl)-methylamins und -ethylamins 783

Epsztajn J., Bieniek A., Kowalska J.A.: Application of organolithium and related reagents in organic synthesis XVI. Synthetic strategies based on aromatic metalation. A concise regiospecific conversion of chlorobenzoic acids into their benzylated derivatives 701

Ergenc N., s. Ulusoy N.

Escudier J.-M., s. Fontaine E.

Escuer A., s. Jauma A.

Etzlstorfer C., Falk H., Mayr E., Schwarzinger S.: Concerning the acidity and hydrogen bonding of hydroxyphenanthroperylene quinones like fringelite D, hypericin, and stentorin 1229

Etzlstorfer C., Falk H., Müller N., Tran T.N.H.: Structural aspects and electronic absorption of the hydroxyphenanthroperylene quinones fringelite D, hypericin, and stentorin 659

Fahmi H.T.Y., s. Habib N.S.

Falk H., Chen Q.-Q., Micura R.: On the chemistry of pyrrole pigments XCVII. Synthesis, stereochemistry, and solvatochromic effects of a 1-(dipyrrinon-9-yl)-3-(dipyrrinon-9-ylidene)-1-propene 77

Falk H., s. Etzlstorfer C., Zaleska B.

Falk H., Chen Q.-Q.: On the chemistry of pyrrole pigments XCVI. An efficient synthesis of corrphycenes 69

Falk H., Tran T.N.H.: Synthesis and properties of an ω,ω'-appended eighteen carbon chains hypericin derivative 717

Farrera J.-A., s. Crusats J., Jauma A.

Felderhoff M., Sustmann R.: *Diels-Alder*-Reaktion eines elektronenarmen C-Acylimins mit Tetraethoxyethylen 967

Ferrer E.G., s. Kögerler P.

Fischer G., s. Rogge M.

Földenyi R., Szalontai G., Szebenyi N., Kvintovics P., Bartik T.: Heterocyclic derivatives of 2-amino-4-nitrophenol 305

Földenyi R.: New pyrimidine derivatives of cyanimidodithiocarbonates 725

Fontaine E., Baltas M., Escudier J.-M., Gorrichon L.: Diastereoselectivity in the *Lewis* acid mediated aldol reaction of chiral α,β-epoxyaldehydes with a ketene silyl acetal 519

Foretic B., Burger N.: The *tris*(2-nitroso-1-naphtholato)ferrate(II)ion 227

Fragoso A., s. Cao R.

Franek W.: Dithiirane or thiosulfine intermediates in the reaction of acetyl diaroylchloromethyl disulfides with secondary amines? 909

Franek W.: New dithio-*bis*-(diaroylmethanes) and acetyldiaroylchloromethyl disulfides: attractive synthons and precursors for the liberation of highly reactive dithiiranes or thiosulfines 895

Frauenkron M., Tzavellas N., Klouras N., Raptopoulou C.P.: New [Ti(η^5-C_5H_5)Cl_2(O*R*)] complexes. Crystal and molecular structure of η^5-cyclopentadienyl(cyclohexoxy)titanium(IV) dichloride 1137

Fröhlich J., Hametner C., Kalt W.: Synthesis of trisubstituted thiophenes *via* a halogen dance reaction at 2-bromo-5-methylthiophene 325

Fröhlich J., Hametner C.: Synthesis of trisubstituted furans from 2-bromo-5-methylfuran *via* halogen migrations and their selective preventions 435

Fröhlich J., s. Sauter F.

Ganguly D., s. Biswas K.M.

Garcia-Martinez C., s. Morales-Rios M.S.

Garcia-Santos P., Calle E., Gonzalez-Mancebo S., Casado J.: Kinetics of the aminolysis and hydrolysis of alkyl nitrites: evidence for an orbital controlled mechanism 997

Gärtner P., s. Noe C.R.

Geies A.A., El-Dean A.M.K., Moustafa O.S.: Synthesis of new triazoloquinoxalines, pyrroloquinoxalines, and pyrimidopyrroloquinoxalines 1263

Gemeay A.H., s. Salem M.A.

Gera L., s. Göndös G.

Gershon H., Clarke D.D., Gershon M.: Preparation and fungitoxicity of 3-bromo-6-chloro- and 6-bromo-3-chloro-8-quinolinols 331

Gershon M., s. Gershon H.

Gewald K., Angermann J., Schäfer H.: Substituierte 2-Alkoxy-5-amino- und -2,5-diamino-imidazole aus Oxazol-2-yliden-cyanamiden 313

Ghoneim M.M., Moharram Y.I, Taylor N.: A mechanistic electrochemical study of *bis*-(azaferrocene-15-crown-5-ether) at a glassy carbon electrode 231

Ghoneim M.M., s. El-Hallag I.S.

Giegerich R., s. Grüner W.

Giester G.: The crystal structure of $ZnFe_2^{3+}(SeO_3)_4$ 347

Glavas S., s. Moschonas M.

Golic L., s. Kristl M.

Göndös G., Gera L., Dombi G., Bernath G.: 2-Substituted hexahydroacylanthranils: synthesis and selective reactions with amines 1167

Gonzalez-Mancebo S., s. Garcia-Santos, P.

Gonzalez L., s. Quintela J.M.

Gonzalez R., s. Rivas C.

Gorrichon L., s. Fontaine E.

Grosse I., s. Janosi A.

Gruner M., s. Knieß A.

Grüner W., Giegerich R., Strothmann D., Reidys C., Weber J., Hofacker I.L., Stadler P.F., Schuster P.: Analy-

sis of RNA sequence structure maps by exhaustive enumeration I. Neutral networks 355
Grüner W., Giegerich R., Strothmann D., Reidys C., Weber J., Hofacker I.L., Stadler P.F., Schuster P.: Analysis of RNA sequence structure maps by exhaustive enumeration II. Structures of neutral networks and shape space covering 375
Gust R., s. Bielmeier P.
Gütschow M., Schröter H., Kuhnle G., Eger K.: Synthesis of 4-isobutyl substituted thiophenes by *Gewald* reaction 297
Güzel Y., s. Saripinar E.
Güzel Y., Saripinar E., Yildirim I.: Norcaradiene-cycloheptatriene substituted in position 7: investigation of the valence isomerization equilibrium 513

Habib N.S., Rida S.M., Badawey E.A.M., Fahmy H.T.Y.: Condensed thiazoles I. Synthesis of 5,7-disubstituted thiazolo[4,5-*d*]pyrimidines as possible anti-HIV, anticancer, and antimicrobal agents 1203
Habib N.S., Rida S.M., Badawey E.A.M., Fahmy H.T.Y.: Condensed thiazoles II. Synthesis of 7-substituted thiazolo[4,5-*d*]pyrimidines as possible anti-HIV, anticancer, and antimicrobal agents 1209
Halasz J., s. Adam W.
Halder S., s. Biswas K.M.
Hamad M.M., Said S.A., El-Ekyabi Y.M.: Synthesis and reactions of 2-mercaptomethyl-1,3,4-oxadiazolin-5-one 549
Hamdi S.T., Ahmed K.Y.: The mass spectral fragmentation of some 2,3-dihydro-5-trifluoromethyl-7-(*p*-*R*-phenyl)-1,4-diazepines 1013
Hamdi S.T., Aliwi S.M.: The photogalvanic effect of Fe(II)-β-diketonate/thionine systems in aqueous acetonitrile 339
Hametner C., s. Fröhlich J.
Hashem E.Y., s. Idriss K.A.
Haslinger E., s. Striegler S.
Haunschmidt C., s. Buchbauer G.
Hejny C., s. Effenberger H.
Hermel G., s. Janosi A.
Heydari M., s. Yavari I.
Hofacker I.L., s. Grüner W.
Hussein A.M., Sherif S.M., Atalla A.A.: A new synthesis for 1,2,4-triazolo[1,5-*a*]pyridines and 1,2,4-triazolo[1,5-*a*]isoquinolines 1153

Ibrahim M.S., s. Ahmed M.E.
Idriss K.A., Sedaira H., Hashem E.Y., Saleh M.S., Soliman S.A.: The visible absorbance maximum of 2-hydroxy-1,4-naphthoquinone as a novel probe for the hydrogen bond donor abilities of solvents and solvent mixtures 29
Ipser H., s. Micke K

Jambor Z., s. Adam W.
Janosi A., Grosse I., Hermel G.: Strukturuntersuchungen an naßersponnenen Polyacrylnitrilfasern nach der Gerfriertrocknung 143
Jansen M., s. Mokros I., Königstein D.
Jauma A., Escuer A., Farrera J.-A., Ribo J.M.: Reactivity of pyrrole pigments XXI. Structure and reactivity of Cu(II) and Zn(II) bilindione chelates 1051
Jauma A., Farrera J.-A., Ribo J.M.: Reactivity of pyrrole pigments XIX. On the structure of Cu(II) and Zn(II) chelates of dipyrrins in solution 927
Jauma A., Farrera J.-A., Ribo J.M.: Reactivity of pyrrole pigments XX. On the structure of Cu(II) and Zn(II) tripyrrin-1-one chelates in solution 935
Jellen W., Mittelbach M., Junek H.: Ozonolysis of olefins VIII. Synthesis of phenoxyacetaldehydes by ozonolysis of allylphenylethers 167

Jordanov V.M., s. Dukov I.L.
Joseph-Nathan P., s. Morales-Rios M.S.
Junek H., s. Jellen W.
Kadas I., Arvai G., Töke L.: A short and efficient annelation sequence for the synthesis of bicyclic intermediates in the total synthesis of strigol and its analogues 887

Kaiser A., s. Bielmeier P.
Kaiser A., Wiegrebe W.: 1,3-Diphenylpropan-1,3-diamines VIII. Reaction of lithiated oximes and oxime ethers with C=N-electrophiles 397
Kaiser A., Wiegrebe W.: 1,3-Diphenylpropan-1,3-diamines IX. Reaction of α-chlorooxime ethers with α-lithiobenzylamines 763
Kalt W., s. Fröhlich J.
Kappe T., s. Khattab A.F.
Karagiannidis P., s. Stoyanov S.
Kasture S.P., s. Bandgar B.P.
Kawde A.M., s. Ahmed M.E.
Khatab M.M., s. Shoukry M.M.
Khattab A.F., Kappe T.: Pyrido[2,3-*d*]pyrimidines II. One step synthesis of pyrido[2,3-*d*]pyrimidines and pyrimido[4,5-*b*]quinolines from 6-amino-uracils 917
Kimel B., s. Brunner H.
Kisch H., s. Westernacher S.
Klinkhammer K.-W., s. Rosmann D.
Klouras N., s. Frauenkron M.
Knieß A., Gruner M., Mayer R.: Reaktionsverhalten von β-Oxocarbonsäurederivaten der Anthracenreihe bei der Synthese von Thiophenen 1173
Knoch F.A., S. Ellermann J.
Knollmüller M., s. Noe C.R.
Kögerler P., Ferrer E.G., Baran E.J.: Darstellung und Eigenschaften einiger Salze des *Bis*(benzyl-malonato)aquaoxovanadium(IV)-Anions 801
Koll A., Wolschann P.: *Mannich* bases as model compounds for intramolecular hydrogen bonding I. Solid state structures and molecular calculations 475
Königstein D., Jansen M.: Einkristallstrukturanalyse von *Bis*(trimethylsilyl)peroxid 1221
Konya T., s. Lorand T.
Kowalska J.A., s. Epsztajn J.
Krasodomska M., s. Bogdanowicz-Szwed K.
Krausz P., s. Radzki S.
Kreja L.: On the changes of rate constants and activation energies during catalytic reactions. Decomposition of NaOCl and H_2O_2 1005
Kretschmann M., s. Diefenbach U.
Krickemeyer E., s. Müller A.
Kristl M., Volavsek B., Golic L.: Untersuchugen des Hydroxylammonium-Fluorogallats 581
Kuhlmann C., s. Müller A.
Kuhnle G., s. Gütschow M.
Kvintovics P., s. Földenyi R.

Lackner V., s. Menges G.
Levai A., s. Adam W.
Lorand T., Aradi F., Szöllösy A., Toth G., Konya T.: Isomerization of substituted tricyclic 4,5-dihydropyrazoles 971

Machado R., s. Rivas C.
MadeGowda N.M., s. Ramachandra H.
Mahadevappa D.S., s. Ramachandra H.
Mallik H., s. Biswas K.M.
Marczewska B.: The accelerating influence of thiurea on the electroreduction of Zn(II) at a mercury electrode in water/methanol mixtures 859
Matuszczak B.: Linear and cyclic N-acetyl-α-aryl-glycines: synthesis and chemiluminescence studies 1291

Mayer R., s. Knieß A.
Mayr E., s. Etzlstorfer C.
Mazik M., Zielinski W.: Basicity of 4-aminopyrimidine and 2,4-diaminopyrimidine derivatives 587
Mazik M., Zielinski W.: Synthesis of pyridinyl-4-pyrimidinamine derivatives 1161
Mazurkiewicz R., Pierwocha A.W.: 4-Phosphoranylidene-5(4*H*)-oxazolones – a novel synthesis and properties 219
Mehrotra K.N., Sharma N.: Studies on molar volume and rheology of terbium soaps in a benzene-*DMF* mixture 257
Melmer M., Neudeck H.: Aromatische Spirane, 22. Mitt. Darstellung von Cyclopenteno-4,5-indan-1-on und 2-Carboxymethyl- bzw. 4-Chlormethyl-indan als Synthone für Synthesen von anellierten 2,2'-Spirobiindanonen 275
Menges G., Michaeli W., Lackner V.: Die degradative Extrusion – Stand und Aussichten 821
Menke C., s. Müller A.
Meusinger R., Heinicke J., Möhle K., Mühlstädt M.: Conformational analysis of thia crown ether derivatives by NMR spectroscopy and molecular mechanics calculations 1145
Michaeli W., s. Menges G.
Micke K., Ipser H.: Thermodynamic properties of liquid magnesium-nickel alloys 7
Micura R., s. Falk H.
Mittelbach M., s. Jellen W.
Moharram Y.I., s. Ghoneim M.M.
Mokros I., Jansen M.: *Tetrakis*(2-fluorophenylamino)silan und sein erstes Kondensationsprodukt N-(2-fluorophenyl)-Si,Si,Si,Si',Si',Si'-*hexakis*(2-fluorophenylamino)-disilazan. Synthesen und Kristallstrukturen 117
Moll M., s. Ellermann J.
Morales-Rios M.S., Garcia-Martinez C., Bucio M.A., Joseph-Nathan P.: Stereocontrolled synthesis of 3-alkylindolines from (*Z*)-2-hydroxyindolenines 691
Morzycki J.W., Dabrowski Z., Trusewicz M., Wilczewska A.Z.: Unusual oxidation reactions of 7α-methyl- and 7α-phenylcholest-5-ene-3β,7β-diol 1283
Moschonas M., Danalatos D., Glavas S.: The effect of O_2 and NO_2 on the ring retaining products of the reaction of benzene with hydroxyl radicals 875
Moustafa O.S., s. Geies A.A.
Müller A., Diemann E., Krickemeyer E., Bögge H., Menke C., Kuhlmann C.: Bemerkenswerte Wirt-Gast-Beziehungen in Tetraphenylphosphoniumsalzen von *tris*-Trithiocarbonato-Komplexen des As(III), Bi(III) und Fe(III) 43
Müller J., s. Brunner H.
Müller N., s. Etzlstorfer C.
Najafian K., s. Yavari I.
Nemes C., s. Adam W.
Neudeck H.K., s. Melmer M.

Neudeck H.K.: Aromatische Spirane, 20. Mitt. Darstellung von dimethylsubstituierten 2-Carboxymethylindan-1-onen und Benzylchloriden als Synthone für Synthesen von di- bis tetramethylierten 2,2'-Spirobiindandionen 185
Neudeck H.K.: Aromatische Spirane, 21. Mitt. Darstellung von Methylphthalaldehydsäuren und ihren Ethyl- und Methylestern als Synthone für Synthesen von methylierten 2,2'-Spirobiindandionen 201
Neudeck H.K.: Aromatische Spirane, 23. Mitt. Darstellung von unsymmetrisch substituierten Dimethyl-2,2'-spirobiindan-1,1'-dionen 417

Nielsen C., s. Abdel-Rahman A.A.-H., Zahran M.A.
Noe C.R., Knollmüller M., Gärtner P.: Aminoalkohole, 4. Mitt. Ein Trennverfahren zur Herstellung von enantiomerenreinem Midodrin 159
Noe C.R., Weigand A., Pirker S.: Studies on cyclic dipeptides I. Aryl modifications of *cyclo*-[Phe-His] 1081
Nori-Shargh D., s. Yavari I.

Öhler E., Kanzler S.: Regioselective amidation of allylic α-hydroxyphosphonates with nitriles: a convenient route to (3-acetylamino-1-alkenyl)-phosphonates 177
Olk B., Beyer L.: S-(N-(Thiocarbamoyl)benzimido)-dithiocarbamidsäureester 291
Oniga O., s. Simiti I.
Özer H., s. Ulusoy N.

Papke T., s. Bracher F.
Patonay T., s. Adam W.
Pawelka Z., s. Puszko A.
Pedersen E.B., s. Abdel-Rahman A.A.-H., Zahran M.A.
Peinador C., s. Quintela J.M.
Pertlik F., s. Effenberger H.
Pierwocha A.W., s. Mazurkiewicz R.
Pindur U., s. Rehn C., Rogge M.
Pirker S., s. Noe C.R.
Pohl D., s. Ellermann J.
Prenner R.H., Schmid W.: Indium mediated allylation in carbohydrate chemistry: a convenient synthesis of 3-deoxy-*D*-arabino-2-heptulosonic acid (*DAH*) and 3-deoxy-*D*-arabino-2-heptulose (Kamusol) 1045
Puszko A., Wasylina L., Pawelka Z.: Dipole moments and spectroscopic properties of methyl-4-nitropyridine N-oxides 601

Qian X., Tao Z.-F., Wei D., Sun J.: Sythesis, crystal structure, and properties of 2*H*-4,8-dimethylfuro-[2',3':5,6]naphtho[1,2-*b*]pyran-2-one, a novel DNA intercalator 569
Quintela J.M., Veiga M.C., Alvarez-Sarandes R., Gonzalez L., Peinador C.: Synthesis of new pyridazino-[4',3':4,5]thieno[3,2-*d*]-1,2,3-triazine and pyrimido[4',5':4,5]thieno[2,3-*c*]-pyridazine derivatives 1037
Quintela J.M., Veiga M.C., Alvarez-Sarandes R., Peinador C.: Synthesis of pyrimido[4',5':4,5]thieno[2,3-*c*]-pyridazine derivatives 537
Quintela J.M., Veiga M.C., Conde S., Peinador C.: A general route for the synthesis of pyrimido[4',5':4,5]thieno[2,3-*c*]pyridazine derivatives 739

Radzki S., Krausz P.: Complex formation between gadolinium(III) porphyrins and some nucleic bases or their nucleoside derivatives in aqueous solution 51
Ramachandra H., Rangappa K.S., Mahadevappa D.S., MadeGowda N.M.: Oxidation of substituted phenethyl alcohols by sodium-N-chloro-*p*-toluene sulfonamide: a kinetic study 241
Ramsis M.N., Antonious M.S., Rizkalla E.N., Youssef A.O.: The kinetics of the crystallization of barium chromate in the presence of polyphosphate and phosphonates 1099
Ramsis M.N., s. Antonious M.S.
Rangappa K.S., s. Ramachandra H.
Raptopoulou C.P., s. Frauenkron M.
Rehn C., Pindur U.: Model building and molecular mechanics calculations of mitoxantrone-deoxytetranucleotide complexes: molecular foundations of DNA intercalation as cytostatic active principle 631
Rehn C., Pindur U.: Molecular modeling of intercalation complexes of antitumor active 9-aminoacridine and a [*d,e*]-anellated isoquinoline

derivative with base paired deoxytetranucleotides 645
Reidys C., s. Grüner W.
Reimann E., Renz H., Dammertz W., Scholz T.: Protoberberine aus Reissert-Verbindungen, 5. Mitt. Synthese des (±)-Bharatamins 173
Reischl W., s. Dmitrenko O.
Renz H., s. Reimann E.
Ribo J.M., s. Crusats J., Jauma A.
Rida S.M., s. Habib N.S.
Rimoli M.G., s. Avallone L.
Rivas C., Bolivar R.A., Gonzalez R., Machado R., Vargas F.: Photocycloaddition of 2-benzoylthiophene to methylmaleic anhydrides 529
Rizkalla E.N., s. Ramsis M.N.
Rogge M., Fischer G., Pindur U., Schollmeyer D.: [α]-Annelated carbazoles with antitumor activity: synthesis and cytotoxicity 97
Rosmann D., Klinkhammer K.-W., Schmidt A.: Kristall- und Molekülstruktur von Arsen-*tris*(trifluoracetat) 1215
Rosmann D., Klinkhammer K.-W., Schmidt A.: Zur Struktur zweier Arsen- und Antimontricarboxylate 461

Saha A., s. Biswas K.M.
Saha M., s. Chatterjee A.
Sahu A., s. Chatterjee A.
Said S.A., s. Hamad M.M.
Saleh M.S., s. Idriss K.A.
Salem M.A., Gemeay A.H., El-Daly S.A.: Oxidation kinetics and fluorescence quenching of coumarin-1 laser dye with peroxodisulfate 867
Saripinar E., s. Güzel Y.
Saripinar E., Yildirim I., Güzel Y, Akcamur Y.: Investigation of the electronic structures of 1,4,5-substituted derivatives of 1*H*-pyrimidin-2-thione 505
Sauter F., Fröhlich J., Ahmed E.K.: New hetero-annelation reactions using N-(*bis*-(methylthio)-methylene)-amino and related reagents 319
Schäfer H., s. Gewald K.
Schelle C., s. Ellermann J.
Schilbach U., Zwietasch K.-J.: Komplexbildung zwischen Seltenerdionen und bicyclischen Dicarbonsäuren in Lösung 265
Schmid W., s. Prenner R.H.
Schmidt A., s. Rosmann D.
Schödel H., s. Bock H.
Schödel H., Seitz W., Bock H., Bats J.W.: Kristallstruktur von Morpholinium-2,3-dicyano-hydrochinolat 63
Schollmeyer D., s.Rogge M.
Scholz T., s. Reimann E.
Schröter H., s. Gütschow M.
Schuster P., s. Grüner W.
Schwarzinger S., s. Etzlstorfer C.
Schweiger K., s. Auer H.
Sedaira H., s. Idriss K.A.
Seitz W., s. Schödel H.
Sharma N., s. Mehrotra K.N.
Sherif S.M., s. Hussein A.M.
Sherif S.M.: A convenient synthesis of polyfunctionally substituted 2-(aroyl-(arylsulfonyl)-methylene)-2,3-dihydrothiazoles and -thiazolidin-4-ones and their fused derivatives 557
Sherif S.M.: Syntheses with heterocyclic β-enaminonitriles: a facile preparation of polyfunctionally substituted thiophene, thieno[3,2-*b*]-pyridine, and thieno[3,2-*d*]pyrimidine derivatives 955
Shishkin O.V.: Conformational flexibility of 1,4-dihydroazine carbonyl derivatives 883
Shoukry M.M., El-Medani S.M., Khatab M.M.: Mixed-ligand complexes of palladium(II) involving propane-1,2,3-triamine as primary ligand and amino acids, peptides, or DNA units as secondary ligands 811

Simiti I., Oniga O.: Heterocycles LXXI. *Sommelet* and *Kröhnke* reactions in the series of 2,4'-bisthiazoles 733
Sinha-Chaudhuri A., s. Biswas K.M.
Sivak M., s. Sucha V.
Sofan M.A., s. Zahran M.A.
Soliman S.A., s.Idriss K.A.
Spitzer J., s. Brunner H.
Spreitzer H., s. Buchbauer G.
Stadler P.F., s. Grüner W.
Stepanov I.A.: Dependence of the internal energy on the temperature during chemical reactions 1247
Stoyanov S., Stoyanova T., Antonov L., Karagiannidis P., Akrivos P.: Thione-disulfide interchange of some heterocyclic tautomeric thiones and their symmetrical disulfides 495
Stoyanova T., s. Stoyanov S.
Striegler S., Haslinger E.: Cerebrosides from *Fomitopsis pinicola* (*Sw. Ex Fr.*) *Karst.* 755
Strothmann D., s. Grüner W.
Sucha V., Sivak M.: Metavanadates and dihydrogendecavanadates with cations of macrocyclic tetraamines 1
Sun J., s. Qian X.
Sustmann R., s. Felderhoff M.
Szalontai G., s. Földenyi R.
Szebenyi N., s. Földenyi R.
Szendi Z., Dombi G., Vincze I.: Steroids LIII. New routes to aminosteroids 1189
Szöllösy A., s. Lorand T.

Tahmassebi D., s. Yavari I.
Tao Z.-F., s. Qian X.
Taylor N., s.Ghoneim M.M.
Temerk Y.M., s. Ahmed M.E.
Terzieff P.: Magnetic susceptibility of liquid gold-indium-zinc alloys 841
Töke L., s. Kadas I.
Tomiska J., s. Vrestal J.
Toth G., s. Adam W., Lorand T.
Tran T.N.H., s. Etzlstorfer C., Falk H.
Tröscher F., s. Buchbauer G.
Trusewicz M., s. Morzycki J.W.
Tzavellas N., s. Frauenkron M.

Ulusoy N., Ergenc N., Ekinci A.C., Özer H.: Synthesis and anticonvulsant activity of some new arylidenehydrazides and 4-thiazolidinones 1197

Van T.T.H., s. Bock H.
Vargas F., s. Rivas C.
Veiga M.C., s. Quintela J.M.
Villalonga R., s. Cao R.
Vincze I., s. Szendi Z.
Volavsek B., s. Kristl M.
Vrestal J., Broz P., Tomiska J.: Thermodynamic parameters of liquid ternary $Fe_{1-x}(Ni_{5/6}Cr_{1/6})_x$ alloys 135

Wasylina L., s. Puszko A.
Weber J., s. Grüner W.
Wei D., s. Qian X.
Weigand A., s. Noe C.R.
Weis R., s. Auer H.
Westernacher S., Kisch H.: Transition metal complexes of diazenes XXXVI. Formation of indoles from azobenzene and diphenylacetylene through supported aqueous phase catalysis by rhodium(I) complexes 469
Widhalm M., s. Wimmer P.
Wiegrebe W., s. Bielmeier P., Kaiser A.
Wilczewska A.Z., s. Morzycki J.W.
Wimmer P., Widhalm M.: Synthesis of aminophosphines containing a chiral dinaphthoazepine entity and their use in asymmetric catalysis 669
Wolschann P., s. Koll A.

Yavari I., Davar-Panah M., Heydari M., Najafian K., Zonouzi A.: A facile route to highly functionalized ketenimines 963

Yavari I., Tahmassebi D., Nori-Shargh D., Heydari M.: AM1 study of conformations of oxocane and 1,3-dioxocane 1021
Yildirim I., s. Güzel Y., Saripinar E.
Youssef A.O., s. Antonious M.S., Ramsis M.N.

Zahran M.A., Abdel-Megied A.E.-S., Abdel-Rahman A.A.-H., Sofan M.A., Nielsen C., Pedersen E.B.: Synthesis of 3'-deoxy-3'-fluoro and -3'-amino nucleosides from 2-methylthiopyrimidin-4(1*H*)-ones 979
Zaki N.N., Abdel-Raouf M.E., Abdel-Azim A.-A.A.: Propylene oxide – ethylene oxide block copolymers as demulsifiers for water-in-oil emulsions I. Effect of molecular weight and hydrophilic-lipophilic balance on the demulsification efficiency 621
Zaki N.N., Abdel-Raouf M.E., Abdel-Azim A.-A.A.: Propylene oxide – ethylene oxide block copolymers as demulsifiers for water-in-oil emulsions II. Effects of temperature, salinity, *pH*-value, and solvents on the demulsification efficiency 1239
Zaleska B., Ciez D., Falk H.: Synthesis and properties of unique mesoionic 1,3-thiazolium-4-olates 1251
Zareh M.M., s. Amin A.S.
Zechmeister-Machhart F., s. Buchbauer G.
Zielinski W., s. Mazik M.
Zonouzi A., s. Yavari I.
Zwietasch K.-J., s. Schilbach U.